



Nexreg Compliance Inc.
1673 Richmond Street - Suite 501
London, ON - N6G 2N3 - CANADA
Ph: (519) 488-5126
F: (519) 488-5217

Las muestras de los servicios de Nexreg Compliance Inc. ilustran los servicios ofrecidos. En Nexreg entendemos que sus productos son únicos. Nuestro programa de autoría de MSDS está diseñado para ser flexible y, por lo tanto, para satisfacer sus necesidades en la preparación de SMDS. Los elementos de la muestra adjunta se pueden editar para reflejar sus preferencias, incluyendo el diseño de plantillas, idioma, información, etc.

¿Por qué tercerizar la conformidad normativa de sus productos químicos?

Nexreg es el líder en la conformidad de productos químicos y mantiene un equipo de investigación dedicado para monitorear cualquier cambio en las regulaciones gubernamentales. También hay otros beneficios adicionales; un estudio de Empagio sobre los ejecutivos determinó las tres razones principales por las que las compañías tercerizan. Nexreg le proporciona las tres:

1. **MAYOR EFICIENCIA:** Al utilizar el grupo de expertos de Nexreg, el personal de su compañía queda disponible para tareas más críticas para su operatoria.
2. **AHORRO DE TIEMPO:** El equipo de cumplimiento normativo de Nexreg puede reducir sensiblemente los tiempos involucrados con el cumplimiento de normativas, permitiendo que los productos de su compañía alcancen más rápidamente nuevos mercados.
3. **AHORRO DE COSTOS:** El equipo de Nexreg puede reducir los costos normativos de su compañía entre un 50% y un 65%.

Nexreg ofrece un número de servicios de conformidad normativa tales como:

- Autoría de MSDS para una variedad de jurisdicciones
- Conformidad normativa del etiquetado para los mercados de consumo, cosméticos e industriales
- Consultoría de normativa
- Presentaciones gubernamentales y revisión del etiquetado
- Traducciones técnicas

Por favor, contáctenos para obtener mayor información sobre estos servicios, cotizaciones o respuestas para cualquiera de sus preguntas.

Website: <http://www.nexreg.com>

E-mail: info@nexreg.com

Teléfono: Nexreg EE.UU. +1 206 418 6663 (Seattle, WA)
Nexreg Canadá: +1 519 488 5126 (London, ON)
Nexreg RU: +44 20 7993 5893 (Londres, RU)



SAFETY DATA SHEET

Super Spray Adhesive

Conforms to 91-155-EEC - 2001-58-EC

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation: Super Spray Adhesive

Use of the substance/preparation: Adhesive.

Company/undertaking identification: USA Adhesives, Inc.
1100 Industrial Avenue
Vernon Hills, Illinois 60061
USA

Telephone: 001-770-751-9095

Emergency telephone: 001-770-751-9095

Date of issue: October 1, 2005

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	EC #	CAS #	Wt. %	Classification:
Acetone	200-662-2	67-64-1	15 - 40	F; R11 Xi; R36 R66 R67
Propane	200-827-9	74-98-6	15 - 40	F+; R12
n-Butane	203-448-7	106-97-8	7 - 13	F+; R12
Heptane	205-563-8	142-82-5	7 - 13	F; R11 Xn; R65 Xi; R38 R67 N; R50-53
Isobutane	200-857-2	75-28-5	7 - 13	F+; R12

See section 16 for the full text of each relevant R phrase.

3. HAZARDS IDENTIFICATION

Classification: F+; R12
Xi; R36
R66
R67

Physical hazards: Extremely flammable.

Health hazards: Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Environmental hazards: Components of this product have been identified as having potential environmental concerns.

This preparation is classified as dangerous according to Directive 1999/45/EC and all subsequent amendments.



SAFETY DATA SHEET

Super Spray Adhesive

4. FIRST AID MEASURES

- Inhalation:** If breathed in, move person into fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.
- Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Skin contact:** After contact with skin, wash immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation persists, get medical attention.
- Ingestion:** If swallowed, call a Poison Control Centre or doctor immediately. DO NOT induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. If swallowed, rinse mouth with water (only if the person is conscious).
- General advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
- Note to physicians:** Symptoms may be delayed.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media:** Powder, water spray, foam, carbon dioxide.
- Extinguishing media which must not be used for safety reasons:** Not available.
- Special exposure hazards:** Not available.
- Hazardous combustion products:** Oxides of carbon.
- Special protective equipment for fire-fighters:** Pressurized container may explode when exposed to heat or flame. In case of fire and/or explosion do not breathe fumes. Firefighters should wear full protective clothing including self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Use personal protection recommended in Section 8. Isolate area. Remove sources of ignition. Keep unnecessary personnel away. Ruptured cylinders may rocket.
- Environmental precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks).
- Methods for containment:** Prevent further leakage or spillage if safe to do so. Use sand, perlite or vermiculite as an absorbent for large spills of this material.
- Methods for clean-up:** Sweep up or gather material and place in appropriate container for disposal. Allow gas to dissipate into the atmosphere.
- Other information:** Not available.



SAFETY DATA SHEET

Super Spray Adhesive

7. HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. - No smoking. Avoid contact with eyes. Avoid contact with skin. Do not swallow. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

Storage:

Keep out of the reach of children. Do not store at temperatures above 49 °C. Keep container in a well-ventilated place. Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit values

Ingredient(s)	Exposure Limits ACGIH-TLV
Acetone	750 ppm
Propane	1000 ppm
n-Butane	1000 ppm
Heptane	400 ppm
Isobutane	Not available.

Exposure controls:

Occupational exposure controls: Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Personal protective equipment:

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection: Wear suitable gloves.

Eye protection: Wear safety glasses with side shields.

Skin protection: Wear suitable protective clothing.

Environmental exposure controls: Maintain levels below Community environmental protection thresholds.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque.
Colour:	Yellow.
Physical State:	Gas/Pressurized Liquid.
Odour:	Acetone.
pH:	Not available.
Boiling point / boiling range:	Not available.
Melting point / melting range:	Not available.
Flash point:	Not available.



SAFETY DATA SHEET

Super Spray Adhesive

Flammability (solid, gas):	Not available.
Explosive properties:	Not available.
Oxidising properties:	Not available.
Vapour pressure:	Not available.
Relative density (of concentrate):	0.94
Solubility (in water) (of concentrate):	Partial.
Solubility (in oil) (of concentrate):	Complete.
Partition coefficient: n-octanol/water:	Not available.
Viscosity (of concentrate):	Water thin.
Miscibility:	Not available.
Vapor density:	Not available.
Evaporation rate:	Not available.
Auto-ignition temperature:	Not available.
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.
Conditions to avoid:	No dangerous reaction known under conditions of normal use.
Materials to avoid:	Acids. Bases. Oxidizers. Reducing agents.
Hazardous decomposition products:	Not available.

11. TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient(s)	LD₅₀ (oral)	LC₅₀
Acetone	5800 mg/kg, rat	Not available.
Propane	Not available.	Not available.
n-Butane	Not available.	Not available.
Heptane	Not available.	103 g/m ³ 4hrs, rat
Isobutane	Not available.	Not available.

Inhalation:	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
Eye contact:	Irritating to eyes.
Skin contact:	May irritate skin.
Ingestion:	May cause stomach distress, nausea or vomiting.



SAFETY DATA SHEET

Super Spray Adhesive

EFFECTS OF CHRONIC EXPOSURE

Target Organs:	Not available.
Chronic Effects:	Not hazardous by EU criteria.
Carcinogenicity:	Not hazardous by EU criteria.
Mutagenicity:	Not hazardous by EU criteria.
Reproductive Effects:	Not hazardous by EU criteria.
Developmental Effects:	
Teratogenicity:	Not hazardous by EU criteria.
Embryotoxicity:	Not hazardous by EU criteria.
Respiratory Sensitization:	Not hazardous by EU criteria.
Skin Sensitization:	Not hazardous by EU criteria.
Toxicologically Synergistic Materials:	Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
Mobility:	Not available.
Persistence and degradability:	Not available.
Bioaccumulative potential:	Not available.
Other adverse effects:	Not available.

13. DISPOSAL CONSIDERATIONS

Disposal Instructions: This material and its container must be disposed of in a safe way. Dispose in accordance with all applicable regulations.

14. TRANSPORT INFORMATION

ADR/RID

AEROSOLS, flammable, Class 2.1, UN1950

IATA

AEROSOLS, flammable, Class 2.1, UN1950



SAFETY DATA SHEET

Super Spray Adhesive

15. REGULATORY INFORMATION

EU Labelling:

Hazard Symbol(s):



Extremely flammable.



Irritant.

Risk phrases:

R36 - Irritating to eyes.
R66 - Repeated exposure may cause skin dryness or cracking.
R67 - Vapours may cause drowsiness and dizziness.

Safety phrases:

S2 - Keep out of the reach of children.
S9 - Keep container in a well-ventilated place.
S16 - Keep away from sources of ignition. - No smoking.
S23 - Do not breathe gas/fumes/vapour/spray.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S33 - Take precautionary measures against static discharges.
S46 - If swallowed, seek medical advice immediately and show this container or label.
S51 - Use only in well-ventilated areas.

This SDS has been prepared according to the following Directives and all of their subsequent amendments: Directive 67-548-EEC, Directive 91-155-EEC, and Directive 1999-45-EC.

16. OTHER INFORMATION

**List of relevant R phrases:
(appearing in Section 2)**

R11 - Highly flammable.
R12 - Extremely flammable.
R36 - Irritating to eyes.
R38 - Irritating to skin.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 - Harmful: may cause lung damage if swallowed.
R66 - Repeated exposure may cause skin dryness or cracking.
R67 - Vapours may cause drowsiness and dizziness.

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Version:

1.0

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

Web: www.nexreg.ca