



Nexreg Compliance Inc.  
1673 Richmond Street - Suite 501  
London, ON - N6G 2N3 - CANADA  
Ph: (519) 488-5126  
F: (519) 488-5217

Les échantillons Nexreg Compliance Inc. sont des représentations des services que nous offrons. Chez Nexreg, nous comprenons que vos produits sont uniques. Notre logiciel de création MSDS est conçu pour être flexible, donc pour satisfaire vos besoins lors de la préparation des MSDS. Les éléments de l'échantillon attaché peuvent être modifiés pour refléter vos préférences, incluant la conception de modèle, la langue, l'information, etc.

### **Pourquoi impartir la conformité des produits chimiques?**

Nexreg est le chef de file en matière de conformité des produits chimiques et maintient du personnel de recherche dédié pour surveiller les changements dans les règlements des gouvernements. Il y a également d'autres bénéfices; une étude Empagio des cadres supérieurs a découvert les trois raisons principales pour lesquelles les entreprises font de l'impartition. Nexreg fournit les trois:

1. **EFFICACITÉ ACCRUE** - En faisant appel à l'équipe d'experts de Nexreg votre entreprise peut utiliser son personnel pour des tâches plus essentielles.
2. **ÉCONOMIE DE TEMPS** - L'équipe de conformité réglementaire Nexreg peut réduire considérablement le délai d'exécution de la réglementation permettant ainsi aux produits de votre entreprise de rejoindre les marchés plus rapidement.
3. **ÉCONOMIES DE COÛTS** - L'équipe de Nexreg peut réduire vos coûts de réglementation de 50-65%.

### **Nexreg offre un grand nombre de services de conformité réglementaire, tels que:**

- Création de la fiche signalétique du fournisseur pour une variété de juridictions.
- Conformité d'étiquettes pour les consommateurs, les cosmétiques et les marchés industriels
- Conseils réglementaires
- Soumissions au gouvernement et révisions de produits formulés
- Traduction technique

Veillez communiquer avec nous pour plus d'information au sujet de ces services, des tarifs ou des réponses à toute question.

Site Web: <http://www.nexreg.com>

Courriel: [info@nexreg.com](mailto:info@nexreg.com)

Téléphone: Nexreg É.U.: +1 206 418 6663 (Seattle, WA)  
Nexreg Canada: +1 519 488 5126 (London, ON)  
Nexreg R.U.: +44 20 7993 5893 (London, R.U.)



# SAFETY DATA SHEET

## Super Spray Adhesive

Conforms to 91-155-EEC - 2001-58-EC

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the substance or preparation:** Super Spray Adhesive

**Use of the substance/preparation:** Adhesive.

**Company/undertaking identification:** USA Adhesives, Inc.  
1100 Industrial Avenue  
Vernon Hills, Illinois 60061  
USA

**Telephone:** 001-770-751-9095

**Emergency telephone:** 001-770-751-9095

**Date of issue:** October 1, 2005

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	EC #	CAS #	Wt. %	Classification:
Acetone	200-662-2	67-64-1	15 - 40	F; R11 Xi; R36 R66 R67
Propane	200-827-9	74-98-6	15 - 40	F+; R12
n-Butane	203-448-7	106-97-8	7 - 13	F+; R12
Heptane	205-563-8	142-82-5	7 - 13	F; R11 Xn; R65 Xi; R38 R67 N; R50-53
Isobutane	200-857-2	75-28-5	7 - 13	F+; R12

See section 16 for the full text of each relevant R phrase.

### 3. HAZARDS IDENTIFICATION

**Classification:** F+; R12  
Xi; R36  
R66  
R67

**Physical hazards:** Extremely flammable.

**Health hazards:** Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

**Environmental hazards:** Components of this product have been identified as having potential environmental concerns.

This preparation is classified as dangerous according to Directive 1999/45/EC and all subsequent amendments.



# SAFETY DATA SHEET

Super Spray Adhesive

## 4. FIRST AID MEASURES

- Inhalation:** If breathed in, move person into fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.
- Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Skin contact:** After contact with skin, wash immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation persists, get medical attention.
- Ingestion:** If swallowed, call a Poison Control Centre or doctor immediately. DO NOT induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. If swallowed, rinse mouth with water (only if the person is conscious).
- General advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
- Note to physicians:** Symptoms may be delayed.

## 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media:** Powder, water spray, foam, carbon dioxide.
- Extinguishing media which must not be used for safety reasons:** Not available.
- Special exposure hazards:** Not available.
- Hazardous combustion products:** Oxides of carbon.
- Special protective equipment for fire-fighters:** Pressurized container may explode when exposed to heat or flame. In case of fire and/or explosion do not breathe fumes. Firefighters should wear full protective clothing including self contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Use personal protection recommended in Section 8. Isolate area. Remove sources of ignition. Keep unnecessary personnel away. Ruptured cylinders may rocket.
- Environmental precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks).
- Methods for containment:** Prevent further leakage or spillage if safe to do so. Use sand, perlite or vermiculite as an absorbent for large spills of this material.
- Methods for clean-up:** Sweep up or gather material and place in appropriate container for disposal. Allow gas to dissipate into the atmosphere.
- Other information:** Not available.



# SAFETY DATA SHEET

## Super Spray Adhesive

### 7. HANDLING AND STORAGE

**Handling:**

Keep away from sources of ignition. - No smoking. Avoid contact with eyes. Avoid contact with skin. Do not swallow. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

**Storage:**

Keep out of the reach of children. Do not store at temperatures above 49 °C. Keep container in a well-ventilated place. Keep away from food, drink and animal feedingstuffs.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limit values**

<b>Ingredient(s)</b>	<b>Exposure Limits ACGIH-TLV</b>
Acetone	750 ppm
Propane	1000 ppm
n-Butane	1000 ppm
Heptane	400 ppm
Isobutane	Not available.

**Exposure controls:**

**Occupational exposure controls:** Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

**Personal protective equipment:**

**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

**Hand protection:** Wear suitable gloves.

**Eye protection:** Wear safety glasses with side shields.

**Skin protection:** Wear suitable protective clothing.

**Environmental exposure controls:** Maintain levels below Community environmental protection thresholds.

**General hygiene considerations:** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Opaque.
<b>Colour:</b>	Yellow.
<b>Physical State:</b>	Gas/Pressurized Liquid.
<b>Odour:</b>	Acetone.
<b>pH:</b>	Not available.
<b>Boiling point / boiling range:</b>	Not available.
<b>Melting point / melting range:</b>	Not available.
<b>Flash point:</b>	Not available.



# SAFETY DATA SHEET

Super Spray Adhesive

<b>Flammability (solid, gas):</b>	Not available.
<b>Explosive properties:</b>	Not available.
<b>Oxidising properties:</b>	Not available.
<b>Vapour pressure:</b>	Not available.
<b>Relative density (of concentrate):</b>	0.94
<b>Solubility (in water) (of concentrate):</b>	Partial.
<b>Solubility (in oil) (of concentrate):</b>	Complete.
<b>Partition coefficient: n-octanol/water:</b>	Not available.
<b>Viscosity (of concentrate):</b>	Water thin.
<b>Miscibility:</b>	Not available.
<b>Vapor density:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Auto-ignition temperature:</b>	Not available.
<b>Lower Flammability Limit:</b>	Not available.
<b>Upper Flammability Limit:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under recommended storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.
<b>Conditions to avoid:</b>	No dangerous reaction known under conditions of normal use.
<b>Materials to avoid:</b>	Acids. Bases. Oxidizers. Reducing agents.
<b>Hazardous decomposition products:</b>	Not available.

## 11. TOXICOLOGICAL INFORMATION

### EFFECTS OF ACUTE EXPOSURE

#### Component Analysis

<b>Ingredient(s)</b>	<b>LD<sub>50</sub> (oral)</b>	<b>LC<sub>50</sub></b>
Acetone	5800 mg/kg, rat	Not available.
Propane	Not available.	Not available.
n-Butane	Not available.	Not available.
Heptane	Not available.	103 g/m <sup>3</sup> 4hrs, rat
Isobutane	Not available.	Not available.

<b>Inhalation:</b>	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
<b>Eye contact:</b>	Irritating to eyes.
<b>Skin contact:</b>	May irritate skin.
<b>Ingestion:</b>	May cause stomach distress, nausea or vomiting.



# SAFETY DATA SHEET

Super Spray Adhesive

## EFFECTS OF CHRONIC EXPOSURE

<b>Target Organs:</b>	Not available.
<b>Chronic Effects:</b>	Not hazardous by EU criteria.
<b>Carcinogenicity:</b>	Not hazardous by EU criteria.
<b>Mutagenicity:</b>	Not hazardous by EU criteria.
<b>Reproductive Effects:</b>	Not hazardous by EU criteria.
<b>Developmental Effects:</b>	
<b>Teratogenicity:</b>	Not hazardous by EU criteria.
<b>Embryotoxicity:</b>	Not hazardous by EU criteria.
<b>Respiratory Sensitization:</b>	Not hazardous by EU criteria.
<b>Skin Sensitization:</b>	Not hazardous by EU criteria.
<b>Toxicologically Synergistic Materials:</b>	Not available.

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity:</b>	This product is not expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
<b>Mobility:</b>	Not available.
<b>Persistence and degradability:</b>	Not available.
<b>Bioaccumulative potential:</b>	Not available.
<b>Other adverse effects:</b>	Not available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Instructions:** This material and its container must be disposed of in a safe way. Dispose in accordance with all applicable regulations.

## 14. TRANSPORT INFORMATION

### ADR/RID

AEROSOLS, flammable, Class 2.1, UN1950

### IATA

AEROSOLS, flammable, Class 2.1, UN1950



# SAFETY DATA SHEET

Super Spray Adhesive

## 15. REGULATORY INFORMATION

**EU Labelling:**

**Hazard Symbol(s):**



Extremely flammable.



Irritant.

**Risk phrases:**

R36 - Irritating to eyes.  
R66 - Repeated exposure may cause skin dryness or cracking.  
R67 - Vapours may cause drowsiness and dizziness.

**Safety phrases:**

S2 - Keep out of the reach of children.  
S9 - Keep container in a well-ventilated place.  
S16 - Keep away from sources of ignition. - No smoking.  
S23 - Do not breathe gas/fumes/vapour/spray.  
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S33 - Take precautionary measures against static discharges.  
S46 - If swallowed, seek medical advice immediately and show this container or label.  
S51 - Use only in well-ventilated areas.

This SDS has been prepared according to the following Directives and all of their subsequent amendments: Directive 67-548-EEC, Directive 91-155-EEC, and Directive 1999-45-EC.

## 16. OTHER INFORMATION

**List of relevant R phrases:  
(appearing in Section 2)**

R11 - Highly flammable.  
R12 - Extremely flammable.  
R36 - Irritating to eyes.  
R38 - Irritating to skin.  
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 - Harmful: may cause lung damage if swallowed.  
R66 - Repeated exposure may cause skin dryness or cracking.  
R67 - Vapours may cause drowsiness and dizziness.

**Disclaimer:**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Version:**

1.0

**Prepared by:** Nexreg Compliance Inc.

Phone: (519) 488-5126

Web: [www.nexreg.ca](http://www.nexreg.ca)